Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

 (previously presented) Cast part with high creep resistance, made of an alloy with a composition comprising (% by weight):

Si: 5 - 11

Fe<0.6

Mg 0.15 - 0.6

Cu: 0.3 - 1.5

Ti: 0.05 - 0.25

Zr: 0.05 - 0.25

Mn < 0.4

Zn <0.3

Ni < 0.4

other elements < .10 each and 0.30 total, remainder aluminum.

- (previously presented) Part according to claim 1, wherein silicon is from 6.5 to
- 3. (previously presented) Part according to claim 1, wherein iron is at most 0.3%.
- (previously presented) Part according to claim 1, wherein copper is from 0.4 to 0.7%.

- (previously presented) Part according to claim 1, wherein magnesium content is from 0.25 to 0.5%.
- 6 (previously presented) Part according to claim 1, wherein magnesium and copper are present such that 0.3Cu + 0.18 <Mg<0.6.
- (previously presented) Part according to claim 1, wherein titanium is from 0.08 to 0.20%.
- (previously presented) Part according to claim 1, wherein zirconium is from 0.12 to 0.18%.
- (previously presented) Part according to claim 1, wherein manganese is from 0.1 to 0.3%
- 10. (previously presented) Part according to claim 1, wherein zinc is at most 0.1%.
- 11. (previously presented) Part according to claim 1, wherein nickel is at most 0.1%.
- 12. (previously presented) Part according to claim 1, wherein said part is solution heat treated, quenched and tempered to T6 or T7.
- 13. (previously presented) Part according to claim 1, wherein said part is a cylinder head or a crankcase of an automobile or aircraft engine.
- 14. (previously presented) Part according to claim 2, wherein iron is at most 0.3%.
- 15. (previously presented) Part according to claim 2, wherein the copper is from 0.4% to 0.7%.

- (previously presented) Part according to claim 3, wherein copper is from 0.4% to 0.7%.
- 17. (previously presented) Part according to claim 2, wherein magnesium is from 0.25 to 0.5%.
- 18. (previously presented) Part according to claim 3, wherein magnesium is from 0.25 to 0.5%.
- (previously presented) Part according to claim 4, wherein magnesium is from 0.25 to 0.5%.
- 20. (previously presented) Part according to claim 2, wherein magnesium and copper are present such that 0.3Cu + 0.18<Mg<0.6.